



**Best-Nr.:**  
**058.539.8**

**Priv.-Nr.: 4188**

# Technische Unterlage

Functions		Cooling/dehumidifying/Faning
Power source		AC 220 V, 50 Hz
Rated power consumption		330 W (At cooling operation)
Rated current		1.5 A (At cooling operation)
Rated cooling capacity		980 W (Room temp. 30° C, Relative humidity 70%)
Dehumidifying capacity		0.73 l/h (Room temp. 30° C, Relative humidity 70%)
Air capacity		Max. 200 cbm/h
Service room temperature	At cooling operation	15° C - 35° C
	At dehumidifying operation	8° C - 35° C
Pressure	Discharge	Max. 26.5 bar
	Intake	Max. 7.6 bar
Refrigerant filling amount		HCFC 22 • 0.23 kg
Length of power cord		2.3 m
Dimensions		257 (W) x 390 (W) x 675 (H) mm
Weight		15.9 kg
Air capacity adjustment	Cooling	3 steps (HIGH, MID, LOW)
	Dehumidifying	Dehumidification
	Faning	3 steps (HIGH, MID, LOW)
Louver	Horizontal	Manual oscillating
	Vertical	
Timer		1,2,4 hours OFF timer
Memory function		○
Automatic stop with drain tank filled		○
Tank capacity		2.5 liters at automatic stop
Drain switching		○
Casters		○
Duct	Outside diameter	φ100 mm
	Length	1000 mm

27.06.95 09:40,20

UTS-Nr.: 999 QUELLE  
Best.Nr.: 0585398/02  
Ger.Bez.: MINI KLIMAGERAET

GKz: G GERAET  
WGT: 633 KLIMAGERAETE  
KD-Sektor: K KAELTEGERAETE  
BaumNr.: 05 KUEHLEN  
Klassierung:  
IFW-FehlerGru.: 104 KUEHLGERAETE  
Type/Privileg/Universum.Nr 4188  
Beschreibung  
VK-Preis: 998.50

Serviceart: 01 QUELLE-TKD  
Garantie fuer Kunden 12 Monate  
Sondervereinbarungen: 0 SIEHE SERVICEART

Garantiereparatur 0000000 KEINE FIRMA  
Sondervereinbarungen: 0 SIEHE SERVICEART

Katalog	Seite
Erst 954 HAUPTKATALOG H/W 95	0000
Letzt 000	0000

Geraeta Info:

Technische Daten:

Fehler:


## Stueckliste:


1...5...9. KZ	IdentNr	Bezeichnung	Stk	Position im Bild	Herstellercode
1	G	058539/02 MINI KLIMAGERAET	001		
2	T	*****	001		
3	E	7573496 LUFTFILTER	001	01	616 119 2233
3	E	7573504 FILTERABDECKUNG	001	02	616 114 0227
3	E	7573512 GEHAUSETEIL LINKS	001	05	616 114 0234
3	E	7573520 GERAETEANSCHLUSSDOSE	001	11	616 113 2703
3	E	7573538 GEHAUSETEIL RECHTS	001	16	616 119 9751
3	E	0394395 FRONTBLLENDE	001	19	616 126 7023
3	E	0394403 GEHAUSEFRONT	001	23	616 126 7030
3	E	0394411 LUFTFUEHRUNG VERTIKAL	001	25	616 126 7054
3	E	0394429 LUFTFUEHRUNG VERTIKAL M. HEBEL	001	26	616 126 7061
3	E	0394379 LUFTFUEHRUNG HORIZONTAL	001	28	616 119 9768
3	E	0394437 LUFTFUEHRUNG HORIZONTAL M. HEBEL	001	29	616 126 7085
3	E	0394445 BEDIENUNGSBLLENDE	001	31	616 126 7092
3	E	0394460 STEUERPLATINE BEDIENUNGSBLLENDE	001	32	616 126 7115
3	E	0394387 DECKEL F. WASSERTANK	001	34	616 126 6415
3	E	7573652 WASSERTANK	001	35	616 114 0302
3	E	7573660 VENTILATORGEHAUSE OBERTEIL	001	37	616 113 1966
3	E	7573678 LUEFTERRAD VERDAMPFERVENTILATOR	001	40	616 109 0263
3	E	7573694 VENTILATORMOTOR	001	42	616 113 1775
3	E	7573710 LUEFTERRAD VERFLUESSIGERVERTILAT	001	45	616 114 3884
3	E	7573728 KONDENSATOR 1.3MF LUEFTERMOTOR	001	47	616 028 2225
3	E	7573736 KONDENSATOR 15MF	001	48	404 049 6700
3	E	7573751 WASSERSPRUEHARM	001	50	616 109 0300
3	E	7573769 WASSERABLAUFSCHLAUCH	001	52	616 109 0201

## Stueckliste:

1...5...9. KZ	IdentNr	Bezeichnung	Stk	Position im Bild	Herstellercode
3	E 7573777	VERDAMPFER	001	53	616 119 2271
3	E 0394478	PLATINE WASSERNIVEAU	001	61	616 126 7139
3	E 0394361	SICHERUNG 250V 1A	001	62	423 019 0708
3	E 7573785	FEDER F.TEMPERATURFUEHLER	001	65	616 109 0362
3	E 0394353	THERMOSTAT	001	67	408 023 5604
3	E 0394452	MOTORSCHUTZ KOMPRESSOR	001	74	616 126 7108
3	E 7573827	KOMPRESSOR	001	80	616 113 1959
3	E 7573819	VERFLUESSIGER	001	82	616 119 2295
3	E 7573835	SCHALTNOCKE F.SCHWIMMERSCHALTER	001	85	616 108 9977
3	E 7573843	SCHALTER (NIVEAU) WASSER	001	87	616 108 9960
3	EE 7573876	NETZKABEL	001	92	616 113 0327
3	E 7573850	LAUFROLLEN	001	96	616 109 0256

\*\*\*\*\* ENDE der Liste \*\*\*\*\*





# Wiring Diagram

